



4800 CONVERTIBLE



PRELIMINARY

STANDARDS / OPTIONS

EFFECTIVE OCTOBER 17, 2008

4800 CONVERTIBLE

STANDARD EQUIPMENT (PRELIMINARY)

SPECIFICATIONS

L.O.A. without Standard Pulpit ...
48'5" - 14.76 meters

L.O.A. with Standard Pulpit ...
51'5" - 15.67 meters

L.O.A. with Standard Pulpit and Optional
30" Swim Platform ... 53'11" - 16.43 meters

Beam ... 15'11" - 4.85 meters

Draft (with Props) ... 4'0" - 1.22 meters

Approximate Dry Weight ...
45,012 lbs. - 20,417 kg

Height from Waterline to Top of
Optional Hardtop... 17'5" - 5.3 meters

Standard Fuel Capacity ...
1,000 U.S. gallons - 3,785.41 liters

Water Capacity ...
150 U.S. gallons - 567.81 liters

Holding Tank Capacity ...
50 U.S. gallons - 189.27 liters

Sleeping Accommodations ... 7

Cockpit Size ... 140 sq. ft. - 13 sq. meters

Deadrise at Transom ... 14.8⁰

HULL AND DECK

- Tiara Yachts' transferable limited warranties: five years on hull, deck and fiberglass fuel tank; two years on accessories. Exclusions apply - refer to 2009 warranty statement for specific details and coverage areas.
- Fresh white gelcoat hull and deck
- Platinum boot line
- Hull constructed w/ a gelcoat outer layer, balsa cored hullsides and bottom, with fiberglass skin coat hand-laid using AME[®] premium vinyl ester resin. Closed mold technology with AME[®] premium vinyl ester resin is used for the remainder of the hull process.
- Deck constructed w/ a gelcoat outer layer, balsa coring, and laminated w/ AME[®] 1000 resin using closed mold technology
- Tiara custom diamond pattern non-skid deck and cockpit surfaces
- Wood and foam core stringers, encapsulated by hand-laid fiberglass, are integrated to the hull
- Gelcoated bilge
- Bronze seacocks on all underwater thru-hull fittings
- Molded-in hullside engine room ventilation
- Bennett Marine[®] 24V hydraulic recessed trim tabs
- Three (3) Bomar[®] cast aluminum and acrylic opening forward deck hatches with adjusters and built-in Ocean Air[®] screens and privacy covers
- Molded-in fiberglass bow pulpit with S.S. roller

- One-piece welded 1 1/4" brushed aluminum bow rail with pulpit, staff and Tiara burgee
- Flush forward anchor rode locker with over board drain
- Automatic rope/chain anchor windlass system with operation from foredeck foot pedal and remote switch at helm. Includes one (1) 10" S.S. foredeck cleat, 50' chain rode, 200' rope rode, and Delta[®] 55 lb. galvanized anchor.
- White rubrail with 316L S.S. cap
- Six (6) S.S. cleats for lines - four (4) 12" cleats and two (2) 10" cleats

LOWER COCKPIT

- Starboard entry to salon with sliding tinted glass door
- Port mezzanine seat with insulated cooler tub under seat
- Engine room access door in mezzanine seat
- Teak-covered cockpit step to mezzanine seat and salon entry door. Insulated cooler tub under companion step, and storage tub under seat step.
- Ladder or stairway to flybridge -- see options
- Molded-in steps to deck walkways, port and starboard, with safety handrails above
- Fiberglass covering boards with upholstered coaming bolsters
- Four (4) Lee[®] rod holders in covering boards - two port and two starboard
- Two (2) corner cast S.S. hawse pipes
- Two (2) 6" S.S. cockpit fender cleats
- Imtra[®] cockpit LED courtesy lighting with remote control
- 120V GFI outlet, starboard
- Cockpit shower, hot and cold water
- Fresh water washdown outlet with S.S. fittings and 25 ft. coiled blue hose
- Raw water washdown outlet with S.S. fittings and 25 ft. coiled yellow hose
- Self-draining cockpit with scupper drains
- Two (2) insulated flush floor storage boxes, one (1) port and one (1) starboard, with split lids and hinges. Large floor box includes macerator drain.
- Aft lazarette hatch
- Molded-in, inward opening transom door and gate

FLYBRIDGE

- TV antenna
- Two (2) Release Marine[®] teak helm chairs with footrests
- Forward center bench seat
- Starboard lounge with top-access insulated cooler aft

- Port lounge with top-access storage aft
- AM/FM/CD stereo (brand and details TBD)
- Weather covers for helm console and helm chairs

INTERIOR

- Mold and mildew resistant vinyl hull and headliner treatment
- Teak interior - *NOTE: Variations in Teak wood grain are natural, and cannot be controlled in the manufacturing process*
- Cable TV/phone outlet
- 120V outlets throughout
- 12V/24V DC lighting

SALON

- Teak hardwood floor
- Starboard lounge/dinette seating with storage below. Includes table with fixed pedestal.
- Port lounge seating with storage below
- Sharp[®] Aquos[®] 37" flat screen LCD TV mounted on a hi-lo actuator to conceal the TV when not in use.
- Media/entertainment system (brand and details TBD)
- Marine Air Systems[®] 20,000 BTU air conditioner with reverse cycle heat (supplies salon and galley)

GALLEY / LOWER SALON HALLWAY

- Teak hardwood flooring in galley and teak steps to hallway; hallway is carpeted
- Quartz galley countertop with tile backsplash
- Stainless steel undermount sink with hot/cold water faucet
- Three-burner surface mount electric cooktop with sea rails
- Forward upper cabinets with storage and microwave/convection oven
- Forward lower cabinets with storage
- Aft lower cabinets with safety handrail and concealed trash can
- Two Sub-Zero[®] drawer-style refrigerator/freezer units; one unit includes ice maker
- Exhaust fan
- Storage and sub-floor access underneath hallway steps (hinge lift with gas spring)

MASTER STATEROOM

- Carpeted floor
- Full frame door separating master stateroom from hallway
- Private sliding door entry to head
- Manually actuated queen pedestal berth with deep quilted innerspring mattress, quilt, two (2) pillow shams, and eight (8) throw pillows

- Storage under berth
- Two (2) nightstands with storage
- Hanging locker
- Upper hullside storage cabinets, port
- Two (2) reading lights, independently switched
- Sharp® Aquos® 19" flat screen LCD TV with built-in DVD player
- AM/FM/CD stereo (brand and details TBD)
- Marine Air Systems® 12,000 BTU air conditioning with reverse cycle heat (supplies master stateroom and master head)

MASTER HEAD

- Tile flooring
- Full fiberglass head with shower sump pump and tempered glass window/door
- Corian® countertop with porcelain sink
- Mirrored vanity with storage above sink
- VacuFlush® toilet
- Exhaust fan
- Air conditioner discharge

FORWARD GUEST STATEROOM

- Carpeted floor
- Full frame door with entry from hallway
- Two (2) bunks, single upper and double lower, with innerspring mattresses, quilts, and two (2) pillow shams
- Night stand integrated into cedar-backed hanging locker
- Storage under lower berth
- Two (2) reading lights, independently switched

GUEST HEAD

- Tile flooring
- Full frame door with entry from forward guest stateroom and hallway
- Full fiberglass head with shower sump pump and tempered glass shower door/window
- Corian® countertop with porcelain sink
- Mirrored vanity with storage above sink
- Lower vanity storage
- VacuFlush® toilet
- Exhaust fan
- Air conditioner discharge


SIDE GUEST STATEROOM

- Carpeted floor
- Full frame sliding entry door from hallway
- Two (2) bunks, upper and lower, with innerspring mattresses, quilts, and two (2) pillow shams
- Cedar-backed hanging locker
- Two (2) reading lights, independently switched
- Marine Air Systems® 14,000 BTU air conditioning with reverse cycle heat (supplies side guest stateroom and guest head)

INSTRUMENTATION, EQUIPMENT AND SAFETY

- Tiara custom 12V/24V and 120V/240V electrical system. Master AC consolidated with salon monitoring panel with main DC panel in engine room
- One (1) 240V, 50A 65' shore power cord with Glendinning® cord recoiler
- Cable TV and phone inlets/outlets with 65' dockside power cord
- TV and AM/FM radio antennas (shipped loose for dealer installation)
- Onan® 17.5kw generator (TBD for 240V) with ultra-quiet muffler
- Victron® battery charger (1), 80 amp
- 12V/24V two bank battery system with batteries and battery switches (four (4) engine batteries and eight (8) house batteries)
- Battery parallel system with battery equalizer for 12V battery bank
- Reverse polarity indicator
- Electrical bonding system - hardware bonded to main DC return
- Zincs - trim tabs, transom and shafts
- Bronze axe head rudders and high-rake, high performance struts
- Aquamet® 22 Hi-Strength S.S. prop shafts
- Water cooled shaft logs with PSS® dripless shaft seal
- Two (2) propellers

- Sea Star® full power steering with 15" aluminum steering wheel
- Electronic engine controls with engine synchronizer and push-start ignition
- Helm instrument panel with MPD® electronic display: fuel level, engine and house battery volt meters, rudder position indicator
- Beede® indicator LED's for aft bilge pump, mid bilge pump, forward bilge pump, and generator
- Ritchie® SuperSport SS-2000 compass
- High output alternators, 140 amps
- Clean and quiet engine room; includes fiberglass bulkhead covers/centerline floor/chine floor, sound tiles, insulation, vibration isolation, and fuel/water/air separators
- Six (6) 24V engine room lights
- Two (2) Racor® fuel filters/raw water intake strainers
- Plate mounted, thru-bolted engine system
- Five-port oil changing system for main engines, transmissions, and generator
- ProMariner® ProSafe FS galvanic isolator
- One (1) Delta T® 11" bilge blower fan
- Three (3) automatic/manual bilge pumps with monitors at helm and high-water alarm (2000 GPH each): One (1) forward, one (1) mid, and one (1) aft
- Two (2) composite fuel tanks, 500 gallons each, with electric gauges and fuel shut-off valve on top of tank
- Dockside water inlet
- One (1) fresh water tank, 150 gallons
- Fresh water pressure system with Headhunter Excalibur® variable speed pump, 10 GPM
- One (1) holding tank, 70 gallons, with vent filter
- Fresh water tank/holding tank monitor
- One (1) water heater with exchanger, 20 gallons
- Kahlenberg® chrome dual trumpet air horn (shipped loose for dealer installation)
- FE-241 agent automatic/manual fire extinguisher system in engine room (HFC-227 agent for CE)
- Three (3) handheld fire extinguishers
- Carbon monoxide detectors
- Smoke detectors
- Six (6) 5/8" x 30' black dock lines
- Four (4) Tiara life vests (domestic boats only)
- USCG safety and medical kit
- USCG/international LED navigation lighting (anchor light shipped loose for dealer installation)
- NMMA certified using ABYC standards
- International certification options available (European CE and others)



4800 CONVERTIBLE OPTIONAL EQUIPMENT (PRELIMINARY*)

ENGINE GROUP

- ▷ Twin CAT® C18 Diesels, 885 H.P.....\$1,241,095
- ▷ Twin CAT® C18 Diesels, 1,015 H.P.....\$1,299,500
- ▷ Engine Chrome Package.....

INTERIOR COLOR SELECTIONS

Elite Fabric

- ▷ Newport ▷ Tradewinds
- ▷ Twilight

Premium Fabric

- ▷ Oyster Cove ▷ Sea Mist
- ▷ Steel Lagoon

Galley Quartz Countertops:

- ▷ Michelangelo ▷ Collected Shells
- ▷ Bianco Cararra

Master/Guest Head Corian® Countertops:

- ▷ Burlled Beach
- ▷ Lava Rock

Tile Flooring:

Note: Please specify by location for master head, guest head and galley backplash

- ▷ Cotto Mist ▷ Asian Black
- ▷ Egyptian Beige

Carpet Flooring:

- ▷ Butter ▷ Muslin
- ▷ Lille

Ultraleather™

- ▷ Cream ▷ French Vanilla
- ▷ Lasso

EXTERIOR COLOR SELECTIONS

- ▷ Custom Color Bootline (Please specify color below - Platinum is standard).....
- ▷ Anti-Fouling Bottom Paint - Awlgrip® Awlstar.....
 - ▷ Black
 - ▷ Navy blue
- ▷ Cockpit Carpet - Lower Cockpit Only.....
 - ▷ Charcoal
 - ▷ Navy
 - ▷ Black
 - ▷ Sand

HULL, DECK, & COCKPIT GROUP

- ▷ 30" Swim Platform with Built-In Ladder.....
- ▷ Bow Thruster.....
- ▷ Imtra® Underwater Lights (2), Xenon 12V/50W.....
- ▷ Fixed Center Salon Window.....
- ▷ Bow Rail
 - ▷ Brushed aluminum.....Std
 - ▷ Stainless Steel.....
- ▷ Transom Options.....
 - ▷ Fold-down lounge.....
 - ▷ Baitwell, 80 gallons.....

***PRICING FOR OPTIONAL EQUIPMENT TBD**

- ▷ Gunnel Storage
 - ▷ Port locker.....
 - ▷ Starboard locker.....
 - ▷ Port and starboard lockers.....
- ▷ Teak Table, Cockpit Mezzanine Seat.....
- ▷ Refrigerator/Freezer for Cockpit Mezzanine Seat.....
- ▷ Refrigerator/Freezer for Cockpit Step.....
- ▷ Teak Isle® Drawer System and Cutting Board for Cockpit Rigging Station/Tackle Storage.....
- ▷ Teak Decking, Lower Cockpit Sole.....
- ▷ Cockpit Aft Curtain (Stamoid®).....
 - ▷ White ▷ Sand
 - ▷ Navy ▷ Black

FLYBRIDGE/HARDTOP GROUP

- ▷ Ladder to Flybridge
 - ▷ Fish style (ladder).....Std
 - ▷ Cruise style (stairway; eliminates cockpit rigging station/tackle storage).....
- ▷ Refrigerator/Freezer.....
- ▷ Cool Air System, 16,000 BTU.....
- ▷ 6 Disc Changer.....
- ▷ Fresh Water Washdown.....
- ▷ Teak Package, Helm.....
- ▷ Console Shelter.....
- ▷ Teak Table with Sun Pad Conversion.....
- ▷ Rod Storage
 - ▷ Port.....
 - ▷ Starboard.....
 - ▷ Port and starboard.....
- ▷ Tournament Hardtop.....
 - Molded-in spreader lights (aft)
 - Six-rod holder rocket launcher (aft)
 - Wire raceways for electronics
 - Imtra® LED anchor light
 - Imtra red/white/blue LED lighting with remote control
- ▷ Hardtop Hatches (2, only available w/ optional hardtop).....
- ▷ Rainier® Hardtop Enclosures (only available w/ optional hardtop).....
 - White Stamoid® canvas

- ▷ Teezer Reels (only available w/ optional hardtop).....
- ▷ Outriggers (only available w/ optional hardtop)
 - ▷ Deck mount, 32 ft.....
 - ▷ Bridge mount, 28 ft (west-coast style).....
- ▷ Center Outrigger, 15 ft (only available w/ optional hardtop).....

MECHANICAL GROUP

- ▷ 30 Amp Shore Cord Adapter and Transformer.....
- ▷ Xantrex® ProSine 2.0 Inverter, DC/AC.....
- ▷ ACR® RCL100 Remote Spotlight (only available w/ optional hardtop).....

- ▷ All Chain Windlass (in lieu of std rope windlass).....
- ▷ Side Mount Engine Controls on Flybridge Console.....
- ▷ Trolling Valves.....
- ▷ Water Maker.....
- ▷ Auxiliary Gauge Panel, Engine Room.....
- ▷ Auxiliary Generator, Onan® 5kw.....
- ▷ Bilge Crash Pumps.....
- ▷ Macerator for Waste System.....
- ▷ Anchor Locker Washdown with S.S. Fittings
 - ▷ Raw Water.....
 - ▷ Fresh Water.....
- ▷ Macerator for Standard Cockpit Flush Floor Boxes.....
- ▷ Raymarine® Electronics Package
 - ▷ E Series (two 12" screens).....
 - ▷ G Series (two 17" screens).....
- ▷ Engine Room Camera (only available w/ optional Raymarine® package).....
- ▷ Cockpit Camera (only available w/ optional Raymarine® package).....

INTERIOR GROUP

- ▷ Cabin Sole, Upper Salon/Dinette/Galley
 - ▷ Solid Teak.....Std
 - ▷ Solid Teak and Holly.....
- ▷ Cabin Sole, Hallway/Staterooms
 - ▷ Carpet.....Std
 - ▷ Solid Teak.....
 - ▷ Solid Teak and Holly.....
- ▷ Ice Maker, Salon.....
- ▷ Garbage Disposal, Galley.....
- ▷ Dishwasher, Galley.....
- ▷ Washer/Dryer, Hallway Closet.....
- ▷ TV/DVD, Forward Guest Stateroom.....
- ▷ TV/DVD, Side Guest Stateroom.....
- ▷ Rod Storage
 - ▷ Side guest stateroom.....
 - ▷ Forward guest stateroom.....
 - ▷ Side and forward guest staterooms.....
- ▷ Security Safe.....

MISCELLANEOUS

- ▷ Cradle.....
- ▷ Spare Props, One (1) Pair.....
- ▷ **DO NOT WINTERIZE** (available as temperatures allow)

NOTE: Specifications are based on available information at time of printing. Actual specifications may vary. Tiara Yachts reserves the right to change product line specifications, equipment, color schemes, and pricing, or to discontinue models at any time without notice or obligation.



725 EAST 40TH STREET HOLLAND, MI 49423-5392 USA
(616) 392-7163 • Fax (616) 394-7466 • www.tiarayachts.com